

# **MORE WAYS TO MAKE CUSTOMER SATISFACTION** HAPPEN.

## MORE REPLACEMENT SOLUTIONS.



400 SERIES FRENCHWOOD® GLIDING PATIO DOOR



400 SERIES WOODWRIGHT® DOUBLE-HUNG INSERT WINDOW



From insert double-hungs to flangeless casements to custom-size bay windows and patio doors, Andersen

400 SERIES TILT-WASH DOUBLE-HUNG INSERT WINDOW



400 SERIES REPLACEMENT CASEMENT WINDOW

Sandtone

Terratone



Andersen® 400 Series windows have been named a Best Buy for replacement windows by Consumers Digest. Criteria for the award included performance ratings, quality of construction and materials, ease of operation and warranty. For more information, visit andersenwindows.com/bestbuy.

Dark Bronze

Black

## MORE VARIETY.

#### SEVEN EXTERIOR COLORS

Canvas



**EXCEPTIONAL** 

White

- ELEVEN COLORS
- THREE STYLES
- THREE DECORATIVE HEAD OPTIONS
- INSTALLS IN **ABOUT 5 MINUTES**

Pages 8-9



Forest Green



# MORE EFFICIENT PRODUCTS.



Andersen makes windows and doors with options that achieve ENERGY STAR® 6.0 certification throughout the United States.

## **MORE VISIBILITY.**



Crafted from micro-fine stainless steel mesh, it's one-third the diameter of our aluminum screen wire.

#### TRUSCENE® INSECT SCREENS

TruScene® insect screens are an exclusive Andersen Innovation. They provide more than 50% greater clarity than our conventional insect screens for beautifully unobstructed vision. Page 16

# MORE GREAT OUTDOORS.



#### **FOLDING OUTSWING DOORS**

When closed, they form a stately wall of light. When open, they fold virtually out of sight. Choose from configurations up to 48 feet wide.

#### Page 185

## **OVERVIEW**

Options & Accessories		
400 SERIES WINDOWS & PATIO DO	OORS	
Replacement Casement & Awning Windows	49535977839495 .101 .115 .121 .141 .145 .153 .163	
SPECIALTY & ENTRY DOORS		
Folding Outswing Doors.  Entry Doors (residential)  Entry Doors (transoms)	. 191 . 204	
ART GLASS & EXTERIOR TRIM		
200 SERIES WINDOWS & PATIO DO	DORS	
Gliding Windows  Narroline® Gliding Patio Doors  Perma-Shield® Gliding Patio Doors	.227 .233 .241	
TECHNICAL INFORMATION		
	.269	
	Casement & Awning Windows	Folding Outswing Doors



Now more than ever, Andersen offers what you need to design, build, remodel and replace. More custom sizes for more products. More service coverage from coast to coast. More tools that add speed and professionalism to how you create plans, generate quotes and specify products. All in addition to the things that have made Andersen an industry leader for over 110 years — including the energy efficiency customers demand, a history of environmental stewardship, the backing of a renowned limited warranty\* and the confidence that comes from working with products crafted for the long run.

ANDERSEN
DELIVERS

## **DESIGN**

Andersen has both the products and the design tools you need for virtually any project. With a wide range of windows and doors, a variety of interior finishes and a large palette of colors, it's easy to create the look you want. You'll also find the tools you need to bring your vision to life. For more information on our design tools, visit **andersenwindows.com/arg.** 



## **BUILD**

Andersen is the most trusted window brand among builders. With good reason. Our extensive collection of products offers the ability to deliver aesthetics and reliable performance in any climate. And our vast dealer network is there for you, from project design to closing, with industry-leading support and service.



## REMODEL

Whether you are matching existing architecture, delivering energy efficiency or fitting budgets your customers demand, Andersen can help. We offer a broad portfolio of products — all renowned for their long-lasting,\* energy-efficient, low-maintenance designs. With custom size capabilities, a choice of wood species and exterior colors, and other options and accessories, you have everything you need to create what your customers have in mind.



## **REPLACE**

Andersen is committed to being your window and door company for replacement solutions. With Andersen, you have the ability to order custom sizes for a wide variety of full-frame windows, insert windows and patio doors. In addition, we offer a range of interior and exterior options, custom grille capabilities and products that arrive prepped from the factory for easy installation.



\*Visit andersenwindows.com/warranty for details.





## **400 SERIES**

The most popular windows and doors from the brand rated by builders and remodelers as the most durable, most weathertight and easiest to install. They're also rated the highest in quality.\*\*

Andersen® 400 Series windows and doors provide a classic blend of engineering and craftsmanship, featuring extensive sizes, shapes, styles and colors. We design each product to meet our demanding standards. And each is available with a full array of options and accessories to give projects a customized look, and customers the choices they want.

Carefully crafted in dramatic sizes and shapes, Andersen complementary products can make any project special. They beautifully complement our 400 Series products and expand your design possibilities.

<sup>\* 2014</sup> Hanley Wood Brand Perception Study.

<sup>\*\*2015</sup> Hanley Wood BUILDER Brand Use Study.

# ANDERSEN® PRODUCT OVERVIEW

With Andersen, there are product lines for every budget, every personal taste and every architectural style. No matter which you choose, all feature the beauty, energy efficiency and durability you and your customers have come to expect from Andersen.

#### **Specialty & Entry Doors**

Our folding outswing doors let the outside in. When closed, they provide a stately wall of light. When open, they fold virtually out of sight. Choose from a variety of configurations up to 48 feet wide.

Handcrafted from the finest wood available, Andersen® entranceways add uncommon elegance to any home. Choose from rectangular or arched styles in a large variety of solid wood or glass panel options.



## 200 SERIES

This streamlined selection delivers Andersen quality at an uncommon value while still offering ample choices. The Andersen 200 Series product line concentrates on our most popular sizes and options.



# REPLACEMENT SOLUTIONS FOR EVERY JOB



Andersen offers the replacement solutions you need, the comfort and low maintenance your customers are looking for and the successful installs your reputation requires. Whether it's a double-hung insert window, our replacement casement, or a full-frame replacement window or patio door, Andersen® replacement products install quickly and easily so you finish in less time.

What's more, Andersen replacement windows and doors have beautiful wood interiors that add value to your customers' homes — so you're not just replacing, you're upgrading. Plus all feature the durability, the time-tested performance and the service and support you've come to expect from Andersen. Which means more satisfied customers today and fewer callbacks tomorrow.

# SEE THESE PAGES FOR DETAILS ON EACH ANDERSEN® REPLACEMENT AND CUSTOM-SIZE PRODUCT:

ries Replacement Casement & Awning Windows49	100 3
ries Woodwright® Double-Hung Full-Frame Windows <b>59</b>	100 9
ries Woodwright® Double-Hung Insert Windows	100 9
ne® Double-Hung Window Conversion Kits94	Narro
ries Tilt-Wash Double-Hung Insert Windows95	100 (
ries Specialty Windows	100 9
ries Frenchwood® Gliding Patio Doors	100 (
ries Frenchwood® Hinged Patio Doors	100 9
ty & Entry Doors	Spec
ries Narroline® Gliding Patio Doors	200 9
ries Perma-Shield® Gliding Patio Doors	200 9



# 400 SERIES WOODWRIGHT® DOUBLE-HUNG INSERT WINDOW

The classic, traditional style of Woodwright® full-frame windows in a time-saving insert.





### 400 SERIES TILT-WASH DOUBLE-HUNG INSERT WINDOW

Our best-selling double-hung window now comes as an insert for easy replacement.





# 400 SERIES REPLACEMENT CASEMENT WINDOW

Available without a nailing flange for easy installation from inside or outside. Features predrilled, through-the-jamb installation holes for quick installation.





#### **CUSTOM-SIZE PATIO DOORS**

Whether you need a hinged or gliding patio door for replacement, Andersen has a number of custom size options to fit your project.



Our replacement casement windows and all insert windows include flat, self-hanging shims, backer rod, installation screws and complete instructions.

# **EXTERIOR TRIM SYSTEM**

# A BEAUTIFUL, INNOVATIVE WAY TO SAVE TIME

Andersen® exterior trim for windows and doors installs in about five minutes. It allows you to eliminate measuring, cutting, mitering and filling nail holes while providing an exceptional fit and finish. Plus it offers the flexibility to create a variety of window, door and trim color combinations. **For details see page 215.** 



An online trim visualizer, installation guides and videos are available at andersenwindows.com/exteriortrim.

### **STYLES**



2" Brick Mould with sill nose Dove Gray trim with Terratone window



3 1/2" Flat with sill nose Dark Bronze trim with White window



4 1/2" Flat with sill nose Canvas trim with Forest Green window

## **HEAD TRIM OPTIONS**



**Decorative Drip Cap** 



2" Cornice

WINDOW AND DOOR COLORS\*

Canvas



3 5/8" Cornice

## **COLORS**



White



Sandtone

Forest Green Dark Bronze



Red Rock Prairie Grass





Terratone

## **COLOR CHOICES** & COMBINATIONS

Dark Bronze

Available in 11 factory-finished colors that never need painting and won't fade, flake, blister, chalk or peel no matter what the climate\* Mix and match trim and product colors to give your customers the look they want.

Red Rock trim with Sandtone window

<sup>\*</sup> Some products are not available in all colors. See your Andersen supplier for details.

<sup>\*\*</sup> Visit andersenwindows.com/warranty for details.

# **GLASS OPTIONS**

Andersen has the glass you need to get the performance you want. From SmartSun™ glass with HeatLock™ coating that is ENERGY STAR® certified in all climate zones\* to PassiveSun® glass that helps heat homes in northern areas, there's an option for every climate, project and customer. Check with your supplier for the selections that meet ENERGY STAR® qualifications in your area.



Most Andersen® 400 Series windows are available with impact-resistant glass and structural upgrades to meet the tough building codes of hurricane-prone coastal areas. See your local code official for specific requirements in your area.

in your area.	E N E	R G Y	LIG	нт
	U- FACTOR	SOLAR HEAT GAIN COEFFICIENT	VISIBLE LIGHT TRANSMITTANCE	UV PROTECTION
GLASS	How well a product prevents heat from escaping.	How well a product blocks heat caused by sunlight.	How much visible light comes through a product.	How well a product blocks ultraviolet rays.
SmartSun™  Thermal control similar to tinted glass, but with the visible light transmittance of clear glass.	***	****	***	****
SmartSun with HeatLock™ Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors.	***	****	***	****
Low-E4®/Low-E Outstanding overall performance for climates where both heating and cooling costs are a concern.	***	***	***	***
Low-E4 with HeatLock™ Coating Applied to the room-side surface, it reflects heat back into the home and improves U-Factors.	***	***	***	***
Sun Outstanding thermal control in southern climates where less solar heat gain is desired.	***	****	****	***
PassiveSun® Ideal for northern, passive solar construction applications where solar heat gain is desired.	***	****	***	***
Clear Dual-Pane High visibility with basic thermal performance.	***	***	****	***

Center of glass performance only. Ratings based on glass options available as of June 2015. Visit andersenwindows.com for ENERGY STAR® map and NFRC total unit performance data.

#### TIME-SAVING TRANSLUCENT FILM

We help protect Andersen® windows and doors during delivery and construction with a translucent film that minimizes time spent masking on the jobsite, then peels away for a spotless window. For details, contact your Andersen supplier or visit andersenwindows.com.



#### ADDITIONAL GLASS OPTIONS

Tempered safety glass (standard on patio doors).

Laminated glass for added strength, enhanced security and sound control.

Patterned glass to let in light while obscuring vision (patterns shown below).




Cascade and Reed patterns can be ordered with either a vertical or horizontal orientation.

<sup>\*</sup> Andersen 400 and 200 Series products only with SmartSun™ glass with HeatLock™ coating (argon gas blend), no grilles, no breather tubes. Excludes patterned/textured glass.

# **GRILLE OPTIONS**

With Andersen, you'll find grille patterns, widths and configurations to fit any architectural style or the taste of any homeowner. If you're replacing windows and doors, we can match virtually any existing grille. We'll even work with you and your customers to create custom patterns.

Note: Some grille patterns not available in all configurations and products.



To see all of the standard patterns available for a specific window or door, refer to the detailed sections in this book for each product or contact your Andersen supplier.

#### **GRILLE CONFIGURATIONS**

#### **Full Divided Light**

**Double-Hung** 

Our 2 1/4-inch-wide

grille can make a casement window look like a double-hung.

For an authentic look, full divided light grilles are permanently applied to the interior and exterior of the window with a spacer between the glass.



Permanent Interior with Spacer

#### **Simulated Divided Light**

**Equal Light\*** 

Simulated divided light offers permanent grilles on the exterior and interior with no spacer between the glass. We also offer permanent exterior grilles with removable interior grilles in natural wood or prefinished white.



Permanent Exterior Permanent Interior



Removable Interior

#### **Convenient Cleaning Options**

Removable interior grilles come off for easy cleaning. Andersen® Finelight™ grilles are installed between the glass panes and feature a contoured 1" or ¾" profile.

Contact your Andersen supplier for your custom needs










Finelight<sup>™</sup> Grilles-Between-the-Glass

#### **Grille Widths** (actual size shown)









# TIMELESS BEAUTY: WINDOW HARDWARE

Window hardware enhances the overall design of a window and harmonizes with a home's décor. That's why we offer a broad range of hardware styles and finishes.

### ANDERSEN® HARDWARE FINISHES



П



Antique Brass

Black





Bright Brass

Brushed Chrome





Distressed Bronze

Distressed Nickel





Gold Dust

Oil Rubbed Bronze





Polished Chrome


Satin Nickel





Stone

White



Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.



#### **CASEMENT & AWNING HARDWARE OPTIONS\***

#### **GLIDING WINDOWS**

# **CLASSIC SERIES™** Stone | White

#### **ESTATE™**



Antique Brass | Bright Brass | Brushed Chrome Distressed Bronze | Distressed Nickel | Oil Rubbed Bronze Polished Chrome | Satin Nickel

**CONTEMPORARY FOLDING** 

#### For use on 400 Series gliding windows.\*



Antique Brass | Black | Bright Brass Brushed Chrome | Distressed Bronze Distressed Nickel | Oil Rubbed Bronze Polished Chrome | Satin Nickel Stone | White

For use on 200 Series gliding windows.



STANDARD: Stone | White OPTIONAL: Antique Brass Black Bright Brass Gold Dust Oil Rubbed Bronze Satin Nickel

#### TRADITIONAL FOLDING



Antique Brass | Black | Bright Brass

Distressed Bronze | Distressed Nickel | Gold Dust

Oil Rubbed Bronze | Satin Nickel | Stone | White

Folding window hardware eliminates interference with window treatments.



Black | Bright Brass | Gold Dust | Oil Rubbed Bronze Satin Nickel | Stone | White

#### STANDARD DOUBLE-HUNG HARDWARE

#### **400 SERIES** WOODWRIGHT® WINDOWS



Stone | White

#### 400 SERIES **TILT-WASH WINDOWS**



STANDARD: Stone | White OPTIONAL: Black | Gold Dust

#### 200 SERIES **TILT-WASH WINDOWS**



STANDARD: Stone | White OPTIONAL: Antique Brass | Black | Bright Brass Gold Dust | Oil Rubbed Bronze | Satin Nickel

#### OPTIONAL DOUBLE-HUNG HARDWARE\*

#### **ESTATE™**

Lock & Keeper (Not available for 200 Series tilt-wash windows)



Hand Lift



Finger Lifts



Antique Brass | Bright Brass | Brushed Chrome | Distressed Bronze | Distressed Nickel | Oil Rubbed Bronze | Polished Chrome | Satin Nickel

#### **TRADITIONAL**



Hand Lift



Finger Lifts



Antique Brass | Bright Brass | Brushed Chrome | Oil Rubbed Bronze | Polished Chrome | Satin Nickel | Stone | White

#### **CLASSIC SERIES™**



Hand Lift



Stone | White


Finger Lifts



Stone | White

# FUNCTIONAL BEAUTY: DOOR HARDWARE

## GLIDING PATIO DOOR HARDWARE\*



## HINGED PATIO DOOR HARDWARE\*

#### $\textbf{YUMA}^{\!\scriptscriptstyle \mathbb{B}}$

Distressed Bronze

Distressed Nickel

#### **ENCINO®**

**Distressed Bronze** Distressed Nickel

#### **ANVERS®**

Bright Brass
Oil Rubbed Bronze
Satin Nickel

#### **NEWBURY®**


Antique Brass Bright Brass Brushed Chrome Oil Rubbed Bronze Polished Chrome Satin Nickel

\*Hardware sold separately.



With Andersen, you have a wider selection of hardware styles and finishes than you'll find with just about any other manufacturer. We offer six distinctively different hardware styles — Yuma, Encino, Anvers, Newbury, Covington and Whitmore — in solid forged brass with eight metal finish options. And we offer two hardware styles — Tribeca and Albany — in die-cast zinc with durable powder-coated finishes. Also, look for additional hardware options such as exterior keyed locks and matching hinge finishes in the detailed sections for each individual door.

#### GLIDING PATIO DOOR HARDWARE\*



#### HINGED PATIO DOOR HARDWARE\*

#### **COVINGTON**<sup>™</sup>

Antique Brass **Bright Brass**Oil Rubbed Bronze

#### WHITMORE®

Antique Brass
Bright Brass
Oil Rubbed Bronze
Satin Nickel

#### **ALBANY**

Black

Gold Dust

Stone


White

#### TRIBECA®

Stone White

Bold name denotes finish shown.

#### DOOR HARDWARE FINISHES



Distressed bronze and oil rubbed bronze are "living" finishes that will change with time and use. Bright brass and satin nickel finishes on patio door hardware feature a 10-year limited warranty.


Matching hinges available for inswing patio doors. Printing limitations prevent exact finish replication. See your Andersen supplier for actual finish samples.

\*Hardware sold separately.

# **INSECT SCREENS**

Exclusive Andersen® TruScene® insect screens provide more than 50% greater clarity than our conventional insect screens for a beautifully unobstructed view. And they let in more fresh air and sunlight, while doing a better job of keeping out small insects.

## ANDERSEN INNOVATION



#### FULL OR HALF WINDOW INSECT SCREENS

exterior of the window and match the unit's exterior color.





#### PATIO DOOR INSECT SCREEN OPTIONS

All hinged and gliding patio door insect screens have a long-lasting\* fiberglass screen mesh with a charcoal finish. Available in colors to match the exterior of the door.\*\*

#### **GLIDING PATIO DOORS**



Gliding Insect Screen Gliding insect screens are available for twoand four-panel doors.




Retractable Insect Screen
The retractable insect screen
is installed on the exterior of
the door and opens side-to-

side across the width of the opening. When the insect screen is not in use, it neatly retracts into a small canister. Available for two-panel patio doors.

#### HINGED — INSWING PATIO DOORS







**Gliding Insect Screen**Available for all

two- and three-

panel doors.

# HINGED — OUTSWING PATIO DOORS



#### Retractable Insect Screen

The retractable insect screen is installed on the interior of the door across the width of the opening. When the insect screen is not in use, it neatly retracts into small canisters. Retractable insect screens for outswing doors are available with White, Pine, Oak or Maple interiors. Available for single- and two-panel doors.

Visit andersenwindows.com/warranty for details.

<sup>\*\*</sup> See your Andersen supplier for availability.

# **ART GLASS**

Andersen offers three distinctly different series of art glass to complement any home's architecture. All can help you add interest, create focal points and make your work stand out from that of your competitors. For more information, see your Andersen supplier or visit andersenwindows.com/artglass.



### FRANK LLOYD WRIGHT® SERIES

Each of the four patterns inspired by renowned architect Frank Lloyd Wright remains true to the principles of Wright's original work: simplicity, unity and nature.







Colonnade







Wichita

#### **CLASSIC SERIES**

Create a classic look with five different styles that represent major architectural design themes from the late 1800s through the 1930s, as well as a Southwestern-inspired design.



Diamond Lights



Lotus



Regency



#### **ARTISAN SERIES**

Two designs influenced by 20th Century American and European architectural schools feature striking visual patterns that evoke an extraordinary blend of art and nature.





Affinity



"Frank Lloyd Wright" is a registered trademark of the Frank Lloyd Wright Foundation.

# DOUBLE-HUNG WINDOWS



#### **400 SERIES** WOODWRIGHT® WINDOWS

Woodwright® windows help replicate the look of traditional architecture. Their thick, sloped sills and historically accurate grille patterns bring old-world character to homes of all ages. To help match existing interiors when replacing or remodeling, they're available in a variety of wood species and with a range of hardware and grille options, including custom grilles.

For more information, see page 59.









Unequal Arch

Springline



#### 400 SERIES WOODWRIGHT® **INSERT WINDOWS**

Woodwright® insert windows give you all the advantages of Woodwright® full-frame windows, plus they install faster and easier while keeping the mess and disruption to a minimum. In most cases, you can even keep the original trim and preserve the character of your customers' homes.

Installation materials included. For more information, see page 77.



#### 400 SERIES **TILT-WASH WINDOWS**

Year after year, the Andersen® 400 Series tilt-wash window is our best-selling double-hung window — and for good reason. It's extremely energy efficient and offers a wide array of decorative and performance options. For more information, see page 83.



This product is available with Stormwatch® protection. For a copy of the Andersen® Coastal Product Guide, contact your Andersen supplier.



### 400 SERIES TILT-WASH **INSERT WINDOWS**

All the features of our best-selling doublehung window are now available in an insert window that's faster and easier to install. Installation materials included. For more information, see page 95.




#### 200 SERIES TILT-WASH WINDOWS

200 Series tilt-wash double-hung windows come in our most popular sizes and with our most requested options. They feature low-maintenance exteriors and real wood interiors. For more information, see page 221.



### NARROLINE® WINDOW **CONVERSION KIT**

For homes with Andersen® Narroline® windows that were made after 1967, our guick conversion kit lets you turn them into tilt-wash double-hung windows with high-performance Low-E4® glass. For more information, see page 94.



Printing limitations prevent exact color duplication.

# CASEMENT | AWNING | GLIDING WINDOWS



#### **400 SERIES CASEMENT WINDOWS**

The Andersen® 400 Series casement window is our best-selling casement window. It starts with a design that is extremely energy efficient. The sash is solid wood and covered inside and out by low-maintenance Perma-Shield® cladding to protect against water damage. And the interior features rich, natural pine that creates a perfect frame for art glass and grille patterns. For more information, see page 31. CUSTOM SIZES



This product is available with Stormwatch® protection. For a copy of the Andersen® Coastal Product Guide, contact your Andersen supplier.



#### 400 SERIES **AWNING WINDOWS**

These windows are built on the same platform as our casement windows and deliver the same outstanding performance. For more information, see page 31.



This product is available with Stormwatch® protection. For a copy of the Andersen® Coastal Product Guide, contact your Andersen supplier.



#### 400 SERIES **GLIDING WINDOWS**

In addition to providing superior energy efficiency, reliable performance and uncommon beauty, both sash on our 400 Series gliding windows can be opened for improved ventilation.

For more information, see page 115.



#### **400 SERIES REPLACEMENT CASEMENT WINDOWS**

The casement window that set the standard for performance and durability comes ready for replacement. Provided with predrilled, through-the-jamb installation holes and the nailing flange removed. Special replacement extension jambs are also available to preserve the original alignment of trim and paint lines. Installation materials included. For more information, see page 49.



## 400 SERIES REPLACEMENT **AWNING WINDOWS**

Like our replacement casement, this window comes without a nailing flange and is available with special replacement extension jambs to preserve the original alignment of trim and paint lines. It also has predrilled, through-the-jamb installation holes, so it installs easily from inside or out. Installation materials included. For more information,

see page 49.



#### 200 SERIES **GLIDING WINDOWS**

Andersen® 200 Series gliding windows are available in our most popular sizes. They come with low-maintenance exteriors and real wood or prefinished white interiors. For more information, see page 227.





For more shapes, colors and wood species, see page 29.

FEATUR	RES	400 S CASEIN	400 REPL CASE	400 4W/W	400 REPL AWNII	400 GLIDIN	200 S GLIDIN
Low-Ma	intenance Ext	eriors					
	White						
	Canvas						
	Sandtone						
	Terratone						
	Forest Green						
	Dark Bronze						
	Black						
Interior	s						
	Pine						
	White						
Grilles							
Full Divide	d Light						
Simulated	Divided Light						
Finelight <sup>™</sup> (	Grilles-Between-the-Glass)						
Removable	Interior Grilles						
Perform	nance Options						
Stormwato	h® Protection						
Glass Ad	Iditional glass options	s are availa	ble. See pag	ge 10 for de	etails.		
Low-E4®							
Low-E4 Su	ın						
Low-E4 Sr	nartSun <sup>™</sup>						
Low-E							
Low-E Sun	ı						
Low-E Sma	artSun						
Dual-Pane							
Unit Siz	es						
Minimum \	Vidth	1'-5"	1'-5"	2'-0 1/8"	2'-0 1/8"	2'-11 1/4"	2'-11 1/2"
Maximum	Width	7'-0 5/8"	7'-0 5/8"	5'-11 7/8"	5'-11 7/8"	5'-11 1/4"	5'-11 1/2"
Minimum H	leight	2'-0 1/8"	2'-0 1/8"	1'-5"	1'-5"	1'-10 1/4"	1'-5 1/2"
Maximum I	Height	5'-11 <sup>7</sup> /8"	5'-11 7/8"	4'-0"	4'-0"	4'-11 <sup>1</sup> /4"	4'-11 <sup>1</sup> /2"
Custom	Sizes 🔏						
			•			•	

# **SPECIALTY WINDOWS**



#### **400 SERIES SPECIALTY WINDOWS**

Andersen® specialty windows are more than a collection of stylish shapes. They're also an opportunity to take advantage of our 110-plus years of experience and craftsmanship to distinguish your customers' homes, your work and your designs from everyone else's. Whether it's a bold signature statement with a custom-designed picture window or a delicate lighting accent, Andersen makes it easy to create the look you and your customers want. And it's just one more reason why Andersen is the industry's most trusted name. For more information, see page 121.



OCTAGON





HALF CIRCLE

Also available to match Andersen® 200 Series double-hung windows.








#### **RECTANGULAR WINDOWS**

Andersen makes picture and transom windows to complement the sizes and profiles of Andersen® 400 Series double-hung, casement and awning windows, as well as Andersen 200 Series double-hung windows.










#### **BAY & BOW WINDOWS**

Andersen® 400 Series bay and bow units feature all of the individual qualities of our Woodwright,® tilt-wash and casement windows. Each is delivered as a complete unit to help speed installation. Custom sizes are available for casement units, and all offer a choice of pine veneer or oak veneer head and seat boards. We also offer a cable support system for easier installation. For more information, see page 101.








## FLEXIFRAME® WINDOWS


Flexiframe® windows are available in custom sizes and can be designed in nearly any shape made with straight lines, providing no angle is less than 14 degrees. When other window companies say it can't be done, Andersen does it easily — and beautifully.

For more information, see page 138.





#### **EXAMPLES OF ALTERNATIVE SHAPES**





Detailed information about Stormwatch® protection can be found in the Andersen® Coastal Product Guide. For a copy, contact your Andersen supplier. Visit andersenwindows.com/coastal for more information.

# **GLIDING PATIO DOORS**



# 400 SERIES FRENCHWOOD® GLIDING PATIO DOORS

With their wide wood profiles, Frenchwood® gliding patio doors have the old-world character of traditional French doors, but also offer the convenience and space savings no hinged door can provide. Frenchwood® gliding doors also offer an extensive array of options and accessories and are available in two- and four-panel configurations to fit virtually any size requirement.

For more information, see page 145.



# 200 SERIES NARROLINE® GLIDING PATIO DOORS

Our 200 Series Narroline® gliding patio doors combine the beauty of natural wood with sleek contemporary profiles to maximize views. Available in two- and four-panel configurations to fit virtually any size requirement.

For more information, see page 233.





# 200 SERIES PERMA-SHIELD® GLIDING PATIO DOORS

Perma-Shield® gliding patio doors are protected inside and out with rigid vinyl cladding to give homes a contemporary look while keeping maintenance to a minimum. Available in two-panel configurations.


For more information, see page 241.







#### **PANEL CONFIGURATIONS**

Andersen® gliding patio doors are available in the following panel configurations. See individual product sections for further details. Two-panel configurations are available assembled and unassembled for jobsite convenience. Examples below shown from exterior.








Stationary Panel

Two-Panel Right Open

Two-Panel Left Open



Four-Panel Center Open



### NEW BLINDS BETWEEN THE GLASS

Now available on select 200 Series Perma-Shield® gliding patio doors. Placed between two panes of insulated glass, these aluminum slat blinds are away from dust, dirt and damage. And a smooth, simple operation lets your customers control their view. For more information, see page 242.

				_
	Canvas			
	Sandtone			
	Terratone			
	Forest Green			
	Dark Bronze			
	Black			
Interior	5			
	Maple			
1812183	Oak			
11111	Pine			
	White			
Same as Ex	terior			
Grilles				
Full Divided	l Light			
Simulated I	Divided Light			
Finelight <sup>™</sup> (Grilles-Between-the-Glass)				
Removable	Interior Grilles			
Glass Ad	ditional glass options are a	vailable. See	page 10 fo	r details.
Low-E4® Te	empered			
Low-E4 Su	n Tempered			
Low-E4 Sm	artSun <sup>™</sup> Tempered			
Low-E Tem	pered			
Low-E Sun	Tempered			
Low-E Sma	rtSun Tempered			
Dual-Pane	Tempered			
Unit Siz	es			
Minimum V	/idth	4'-11 1/4"	4'-11 1/4"	4'-11 1/4'
Maximum V	Vidth	15'-9"	15'-9"	8'-0"
Minimum H	eight	6'-71/2"	6'-71/2"	6'-7 1/2"
Maximum H	leight	7'-11 1/2"	7'-11 1/2"	7'-11 1/2'
Custom	Sizes A			

# **HINGED PATIO DOORS**



# 400 SERIES FRENCHWOOD® HINGED INSWING PATIO DOORS

Frenchwood® hinged inswing patio doors feature traditional styling with pine, oak, maple or prefinished white interior options. They come with a three-point locking system for enhanced security and performance. Available in one-, two- and three-panel configurations.

For more information, see page 153.



# 400 SERIES FRENCHWOOD® HINGED OUTSWING PATIO DOORS

Frenchwood® hinged outswing patio doors feature traditional styling with pine, oak, maple or prefinished white interior options. They come with a three-point locking system for enhanced security and performance. Available in one-and two-panel configurations. For more information, see page 163.



#### 200 SERIES HINGED INSWING PATIO DOORS

Our 200 Series hinged inswing patio doors are built with fiberglass panel construction, traditional styling, white interiors and three exterior colors. Their hook-deadbolt lock provides extra strength, a more weathertight seal and added security compared to ordinary deadbolt locks. They are available in one- and two-panel configurations.

For more information, see page 247.