

# Profiles™ Steel



192



Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD  
 Bottom: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL

# Traditions Steel



193



Back to basics.




It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.


Top: Traditions, Clear Glass with SDLs, Door – TS3000-6C, Sidelites – 100SL  
Bottom: Traditions, Clear Glass with SDLs, Doors – TS263

# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock and hinge stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See page 217.



## Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.

All 8'0" doors are 24-gauge steel with standard embossments.



■ = Available  
• = Not Applicable  
P = Paint

Profiles™

Traditions

### Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

### Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

### Glass Options

Decorative	16	16
Privacy	4	4
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

### Additional Options

Finish	P	P
--------	---	---

## Retrofit Patio Sizes

Looking for retrofit options? Choose 2'4" width for 5'0" retrofit doors and 2'10" for 6'0" retrofit doors.

## Privacy Glass

Pages 206, 211

### Chord Glass

Glass Privacy Rating: 10

### Chinchilla Glass

Glass Privacy Rating: 10

### Rainglass

Glass Privacy Rating: 8

### Granite Glass

Glass Privacy Rating: 10



Chord



Chinchilla



Rainglass



Granite

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

\*\*Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.



## Decorative Glass Designs\*\*



Black Nickel



Brushed Nickel

**Blackstone** Page 196  
Glass Privacy Rating: **7**



Black Nickel



Brushed Nickel



Brass

**Crystalline** Page 196  
Glass Privacy Rating: **7**



Art Glass / Black Nickel



Black Nickel



Brushed Nickel

**Sedona** Page 197  
Glass Privacy Rating: **7**



Wrought Iron

**Salinas** Page 198  
Glass Privacy Rating: **10**



Black Nickel

**Element** Page 198  
Glass Privacy Rating: **7**



Black Nickel



Brushed Nickel

**Maple Park** Page 199  
Glass Privacy Rating: **6**



Black Nickel

**Avonlea** Page 200  
Glass Privacy Rating: **4**




Black Nickel



Brushed Nickel

**Saratoga** Page 200  
Glass Privacy Rating: **7**


Red Waterglass /  
Black NickelRed Waterglass /  
Brushed NickelGranite Glass /  
Black NickelGranite Glass /  
Brushed Nickel

**Arden** Page 201  
Glass Privacy Rating: **8**



Brushed Nickel


**Texas Star** Page 201  
Glass Privacy Rating: **5**



Black Nickel



Brushed Nickel



Brass


**Wellesley** Page 202  
Glass Privacy Rating: **6**



Black Nickel



Brushed Nickel



Brass

**Concorde** Page 202  
Glass Privacy Rating: **8**



Black Nickel




Brushed Nickel

**Kensington** Page 203  
Glass Privacy Rating: **8**



Brass

**Crystal Diamonds** Page 204  
Glass Privacy Rating: **9**



Black Nickel

**NEW Axis** Page 204  
Available 2nd Quarter 2015  
Glass Privacy Rating: **7**



**Frosted Images** Page 205  
Glass Privacy Rating: **8**

Also Available:

**Internal Blinds** Pages 207, 212

**Screen Vented** Pages 207, 212

**Clear Glass** Pages 207, 213


## Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

# Blackstone®



**310**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8" ‡



**1037HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**309HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1001HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1117HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**311HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1025HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**310SL**  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1037SLHD**  
 12" x 6'8"  
 14" x 6'8"



**311SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**BSHRT**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BSRT**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Crystalline™



**916**  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8" ‡



**1042HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**926HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**991HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1119HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**950HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**930HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**953HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**1055HD**

❖ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'6" x 6'8" ‡

**936HD**

❖ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**916SL**

❖ ■ ■ 6  
10" x 6'8" ‡  
12" x 6'8" ‡  
14" x 6'8" ‡

**956SLHD**

❖ ■ ■ 6  
12" x 6'8" ‡  
14" x 6'8" ‡

**975SLHD**

❖ ■ ■  
12" x 6'8" ‡  
14" x 6'8" ‡

**930SLHD**

❖ ■ ■ 6  
12" x 6'8" ‡  
14" x 6'8" ‡

**950SLHD**

❖ ■ ■  
12" x 6'8" ‡  
14" x 6'8" ‡

**936SLHD**

❖ ■ ■  
12" x 6'8" ‡  
14" x 6'8" ‡

**19820T**

❖ ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

**19080T**


❖ ■ ■  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

**19810T**

❖ ■ ■  
12" & 14" Sidelite Only

**19800T**

❖ ■ ■  
3'0" Door Only

**BLHRT**

❖ ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill System

## Sedona

Note: Shown in art glass with black nickel caming.

**139-A**

▶  
**139**  
❖ ■ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡

**965HD-A**

▶  
**965HD**  
❖ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**211HD-A**

▶  
**211HD**  
❖ ■ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**996HD-A**

▶  
**996HD**  
❖ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**1114HD-A**

▶  
**1114HD**  
❖ ■ ■  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**294HD-A**

▶  
**294HD**  
❖ ■ ■  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**139SL-A**

▶  
**139SL**  
❖ ■ ■  
10" x 6'8" ‡  
12" x 6'8" ‡  
14" x 6'8" ‡

**965SLHD-A**

▶  
**965SLHD**  
❖ ■ ■  
12" x 6'8" ‡  
14" x 6'8" ‡

**294SLHD-A**

▶  
**294SLHD**  
❖ ■ ■  
12" x 6'8" ‡  
14" x 6'8" ‡

**19520T-A**

▶  
**19520T** ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

**19055T-A**

▶  
**19055T** ■ ■  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

### Options Key

- ❖ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ■ Black Nickel Caming (1D)
- ▶ Art Glass / Black Nickel Caming (1D)
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

# Salinas®

Note: Product images show exterior side of door.



**369**  
X 6  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



**968HD**  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**374HD**  
X 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1002HD**  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1115HD**  
X 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**372HD**  
X  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**371HD**  
X  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**369SL**  
X 6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**971SLHD**  
X 6  
12" x 6'8"  
14" x 6'8"



**371SLHD**  
X 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**SART**  
X  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

# Element

Note: Product images show exterior side of door.



**1010**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡




**1010LSL**  
6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1010RSL**  
6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**EMRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door. The glass is shown photographed on a dark background to highlight the marble-like white wispy art glass.



# Maple Park®



**1006**  
 ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1009HD**  
 ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1007HD**  
 ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1011HD**  
 ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1116HD**  
 ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1008HD**  
 ■ ■ ■  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**736HD**  
 ■ ■ ■  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1006SL**  
 ■ ■ ■  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1009SLHD**  
 ■ ■ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1007SLHD**  
 ■ ■ ■  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**FWRT**  
 ■ ■ ■  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



## Options Key

- ■ ■ Brushed Nickel Caming (1C)
- ■ ■ Black Nickel Caming (1D)
- 6 WBDR / HVHZ Options

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

## Features Key

- ✗ Wrought Iron (1W)



# Avonlea®

Note: Product images show exterior side of door.




**1027**  
◆ ◆ ◆  
2'8" x 6'8" ±  
2'10" x 6'8" Δ ±  
3'0" x 6'8" Δ ±  
3'6" x 6'8" ±



**1038HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1031HD**  
◆ ◆ ◆  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



**1034HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1107HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1044HD**  
◆ ◆ ◆  
2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



**1047HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1027SL**  
◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



**1038SLHD**  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



**1031SLHD**  
◆ ◆ ◆  
12" x 6'8" ±  
14" x 6'8" ±



**AVRT**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Saratoga™



**610**  
◆ ◆ ◆  
2'6" x 6'8" Δ ±  
2'8" x 6'8" Δ ±  
2'10" x 6'8" Δ ±  
3'0" x 6'8" Δ ±  
3'6" x 6'8" ±



**1039HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**613HD**  
◆ ◆ ◆  
2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



**988HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1112HD**  
◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**615HD**  
◆ ◆ ◆  
2'6" x 6'8" ±  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



**707HD**  
◆ ◆ ◆  
2'8" x 6'8" ±  
2'10" x 6'8" ±  
3'0" x 6'8" ±



**610SL**  
◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



**1039SLHD**  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



**615SLHD**  
◆ ◆ ◆  
12" x 6'8" ±  
14" x 6'8" ±



**19740T**  
◆ ◆ ◆  
3'0" Door Only



**19750T**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Note: See page 261 for important product details that may help with your purchase decision.

# Arden®

Note: Shown in red waterglass with black nickel coming.



922R  
 922G  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



966RHD  
 966GHD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



207RHD  
 207GHD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



6721RHD  
 6721GHD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



923RHD  
 923GHD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



924RHD  
 924GHD  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



7021RHD  
 7021GHD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



806RSL  
 806GSL  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



966RSLHD  
 966GSLHD  
 12" x 6'8" ‡  
 14" x 6'8" ‡



6721RSL  
 6721GSL  
 12" x 6'8" ‡  
 14" x 6'8" ‡



ANRTR  
 ANRTG  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Texas Star



1029  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



1040HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1032HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1035HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1111HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1045HD  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1048HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



1029SL  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



1040SLHD  
 12" x 6'8" ‡  
 14" x 6'8" ‡



1032SLHD  
 12" x 6'8" ‡  
 14" x 6'8" ‡

## Options Key

■ Brushed Nickel Caming (1C)  
 ◆ Black Nickel Caming (1D)

■ Red Waterglass / Brushed Nickel Caming (1C)  
 ■ Red Waterglass / Black Nickel Caming (1D)

● Granite Glass / Brushed Nickel Caming (1C)  
 ● Granite Glass / Black Nickel Caming (1D)

⚙ WBDR / HVHZ Options  
 ⚙ 6'6" Height Available  
 ⚙ 7'0" Height Available

# Wellesley™




**620**  
 ♦ ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1041HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**623HD**  
 ♦ ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**989HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1120HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**625HD**  
 ♦ ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1022HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**721HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**620SL**  
 ♦ ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1041SLHD**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**625SLHD**  
 ♦ ♦ ♦ ♦  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19720T**  
 ♦ ♦ ♦ ♦  
 3'0" Door Only



**19730T**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only



**WLHRT**  
 ♦ ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Concorde™



**1028**  
 ♦ ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**967HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**426HD**  
 ♦ ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**999HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1118HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**450HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**430HD**  
 ♦ ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**453HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**400HD**

❖ ■ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡

**1024HD**

❖ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**735HD**

❖ ■ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**454HD**

❖ ■ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**416SL**

❖ ■ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**967SLHD**

❖ ■ ◆ 6  
 12" x 6'8"  
 14" x 6'8"

**977SLHD**

❖ ■ ◆  
 12" x 6'8"  
 14" x 6'8"

**430SLHD**


❖ ■ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**450SLHD**

❖ ■ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**CNRT**

❖ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**CNHRT**

❖ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Kensington™

**626**

❖ ■ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡

**03142HD**

❖ ■ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**627HD**

❖ ■ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**631HD**

❖ ■ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1113HD**

❖ ■ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**628HD**

❖ ■ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**630HD**

❖ ■ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**626SL**

❖ ■ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**966SLHD**

❖ ■ ◆ 6  
 12" x 6'8"  
 14" x 6'8"

**628SLHD**

❖ ■ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡

**KNRT**

❖ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

### Options Key

- ❖ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available



# Crystal Diamonds™



**716**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**964HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**726HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**990HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1109HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**730HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**753HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**700**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1023HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**754HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**716SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**964SLHD**  
 12" x 6'8"  
 14" x 6'8"



**974SLHD**  
 12" x 6'8"  
 14" x 6'8"



**730SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡




**750SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡

## NEW Axis™ Available 2nd Quarter 2015

Note: Product images show exterior side of door.



**1651HD**  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1644HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1660HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1657HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**1659HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1662HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**1643HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1651SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



## Frosted Images®



### Options Key

- ◆ Brass Caming (1A)    △ 6'6" Height Available
- ◆ Black Nickel Caming (1D)    ‡ 7'0" Height Available
- 6 WBDR / HVHZ Options

# Privacy Glass with Divided Lites

Note: For details on divided lite options, see page 116.



128XJ  
128XR  
128XN  
128XC  
2'6" x 6'8"  $\Delta$  ‡  
2'8" x 6'8"  $\Delta$  ‡  
2'10" x 6'8"  $\Delta$  ‡  
3'0" x 6'8"  $\Delta$  ‡  
3'6" x 6'8" ‡



108XJ  
108XR  
108XN  
108XC  
2'6" x 6'8"  $\Delta$  ‡  
2'8" x 6'8"  $\Delta$  ‡  
2'10" x 6'8"  $\Delta$  ‡  
3'0" x 6'8"  $\Delta$  ‡  
3'6" x 6'8" ‡



961HDXJ  
961HDXR  
961HDXN  
961HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



262HDXJ  
262HDXR  
262HDXN  
262HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1123HDXJ  
1123HDXR  
1123HDXN  
1123HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



982HDXJ  
982HDXR  
982HDXN  
982HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



263HDXJ  
263HDXR  
263HDXN  
263HDXC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



6720HDXJSL  
6720HDXRSL  
6720HDXNSL  
6720HDXCSL  
12" x 6'8"  
14" x 6'8"



263SLHDXJ  
263SLHDXR  
263SLHDXN  
263SLHDXC  
12" x 6'8" ‡  
14" x 6'8" ‡

## Privacy Glass



118XJ  
118XR  
118XN  
118XC  
2'0" x 6'8"  
2'4" x 6'8"  $\Delta$  ‡  
2'6" x 6'8"  $\Delta$  ‡  
2'8" x 6'8"  $\Delta$  ‡  
2'10" x 6'8"  $\Delta$  ‡  
3'0" x 6'8"  $\Delta$  ‡  
3'6" x 6'8" ‡



959HDXJ  
959HDXR  
959HDXN  
959HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



206HDXJ  
206HDXR  
206HDXN  
206HDXC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



980HDXJ  
980HDXR  
980HDXN  
980HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1101XJHD  
1101XRHD  
1101XNHD  
1101XCND  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



104XJ  
104XR  
104XN  
104XC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1020HDXJ  
1020HDXR  
1020HDXN  
1020HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



289HDXJ  
289HDXR  
289HDXN  
289HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



708HDXJ  
708HDXR  
708HDXN  
708HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



256HDXJ  
256HDXR  
256HDXN  
256HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



296HDXJ  
296HDXR  
296HDXN  
296HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



100XJSL  
100XRSL  
100XNSL  
100XCNSL  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



959HDXJSL  
959HDXRSL  
959HDXNSL  
959HDXCSL  
12" x 6'8"  
14" x 6'8"



210SLHDXJ  
210SLHDXR  
210SLHDXN  
210SLHDXC  
12" x 6'8" ‡  
14" x 6'8" ‡



296SLHDXJ  
296SLHDXR  
296SLHDXN  
296SLHDXC  
12" x 6'8" ‡  
14" x 6'8" ‡

\*Features a gliding operation and sash locking system.

\*\*2'0" frames do not have simulated divided lites option.

\*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

# Internal Blinds

Note: Product images show exterior side of door.



130

★  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



132HD

★  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




984HD

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1121HD

★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



131

★  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



130SL

★  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



132SLHD

★  
12" x 6'8" ‡  
14" x 6'8" ‡

# Screen Vented Lites\*



243HD

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1004HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



1102HD

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



137

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 116.



1201

◆ ★  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



1202

◆ ★  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



1203

◆ ★  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



128

◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'0" x 6'8" Δ ‡  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



1200

◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



108

◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'4" x 6'8" Δ ‡  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡  
3'6" x 6'8" ‡



2109HD

◆ ★  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



2110HD

◆ ★ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

## Options Key

◆ Simulated Divided Lites (SDL)\*\*,\*

◆ Fixed Grilles (FXG)

◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

▶ Removable Wood Grilles (RG)

★ Low-E Glass (LE)

Δ 6'6" Height Available

‡ 7'0" Height Available

⚡ WBDR / HVHZ Options

## Features Key

▶ PVC Doorlite Frame\*\*\*

## Privacy Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

XC = Chord Glass



Clear Glass with Divided Lites *Continued*

**2111HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**961HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**6023HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1122HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**262HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**982HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1123HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**151HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**263HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**154HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**115HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**255HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**236HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**237HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 (Scalloped Lite Frame)



**1201SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1202SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1200SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**632SL**  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1089SLHD**  
 12" x 6'8"  
 14" x 6'8"



**4572SLHD**  
 12" x 6'8"  
 14" x 6'8"



**6720SLHD**  
 12" x 6'8"  
 14" x 6'8"



**263SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**151SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**3000-2C**  
 2'0" x 6'8" ‡  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**3000-3C**  
 2'0" x 6'8" ‡  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**3000-4C**  
 2'0" x 6'8" ‡  
 2'4" x 6'8" ‡  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

**3000-6C**

2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"   
 3'6" x 6'8"

**6184SL**

10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**6185SL**

10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**6186SL**

10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**752HD**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**198**

2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"   
 3'6" x 6'8"

**1403HD**

2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**1408HD**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**1405HD**

2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**1406HD**

2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**1411HD**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**704HD**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**198SL**

10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**1400SLHD**

12" x 6'8"  
 14" x 6'8"

**1405SLHD**

12" x 6'8"   
 14" x 6'8"

**19020T**

3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems  
 Grille Sticks Applied

**19220T**

3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only  
 Grille Sticks Applied

**19200T**

3'0" Door Only  
 Grille Sticks Applied

## Clear Glass

**118**

2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"   
 3'6" x 6'8"

**959HD**

2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**206HD**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**980HD**

2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**1101HD**

2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**104**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**150HD**

2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**289HD**

2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**Clear Glass** Continues on next page.

### Options Key

Simulated Divided Lites (SDL)\*,\*\*  
 Fixed Grilles (FXG)  
 Flat White Grilles Between Glass Only (GBGFW)

Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)  
 Removable Wood Grilles (RG)  
 Turtle Glass

Low-E Glass (LE)  
 WBDR / HWHZ Options  
 6'6" Height Available  
 7'0" Height Available

### Features Key

PVC Doorlite Frame\*\*

Clear Glass *Continued*

153HD

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



105

★  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



102

★  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



1020HD

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



708HD

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



256HD

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



296HD

★  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



100SL

★ 6  
10" x 6'8" ‡  
12" x 6'8" ‡  
14" x 6'8" ‡



959SLHD

★ 6  
12" x 6'8" ‡  
14" x 6'8" ‡



970SLHD

★  
12" x 6'8" ‡  
14" x 6'8" ‡



210SLHD

★ 6  
12" x 6'8" ‡  
14" x 6'8" ‡



150SLHD

★  
12" x 6'8" ‡  
14" x 6'8" ‡



296SLHD

★  
12" x 6'8" ‡  
14" x 6'8" ‡



19200T

★  
3'0" Door Only



19210T

★  
12" & 14" Sidelite Only



19220T

★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Solid Panel



969HD

6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



978HD

6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1005HD

6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



205HD

6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




203HD

6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



210HD

6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



100

6  
2'0" x 6'8" ‡  
2'4" x 6'8" ‡  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

# Privacy Glass with Divided Lites

Note: For details on divided lite options, see page 116.

TS128XJ TS128XR TS128XN TS128XC	TS108XJ TS108XR TS108XN TS108XC	TS262XJ TS262XR TS262XN TS262XC	8321XJ 8321XR 8321XN 8321XC	TS263XJ TS263XR TS263XN TS263XC	6184XJSL 6184XRSL 6184XNSL 6184XCSSL	6185XJSL 6185XRSL 6185XNSL 6185XCSSL	6186XJSL 6186XRSL 6186XNSL 6186XCSSL	632XJSL 632XRSL 632XNSL 632XCSSL	TS263XJSL TS263XRSL TS263XNSL TS263XCSSL
2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	10" x 6'8" 12" x 6'8" ± 14" x 6'8" ±	10" x 6'8" 12" x 6'8" ± 14" x 6'8" ±	10" x 6'8" 12" x 6'8" ± 14" x 6'8" ±	10" x 6'8" 12" x 6'8" ± 14" x 6'8" ±	12" x 6'8" 14" x 6'8"

# Privacy Glass

TS118XJ TS118XR TS118XN TS118XC	818XJ 818XR 818XN 818XC	TS206XJ TS206XR TS206XN TS206XC	8206XJ 8206XR 8206XN 8206XC	TS104XJ TS104XR TS104XN TS104XC	TS289XJ TS289XR TS289XN TS289XC	TS708XJ TS708XR TS708XN TS708XC	8708XJ 8708XR 8708XN 8708XC	TS256XJ TS256XR TS256XN TS256XC
2'4" x 6'8" Δ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'0" x 8'0" Δ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy Glass Continues on next page.

## Options Key

- Simulated Divided Lites (SDL)\*,\*\*
- Low-E Glass (LE)
- WBDR / HVHZ Options

- Δ 6'6" Height Available
- ± 7'0" Height Available

## Features Key

- PVC Doorlite Frame\*\*

## Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass



## Privacy Glass *Continued*



TS296XJ  
TS296XR  
TS296XN  
TS296XC  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

896XJ  
896XR  
869XN  
896XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



100XJSL  
100XRSL  
100XNSL  
100XCSSL  
9  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡

818XJSL  
818XRSL  
818XNSL  
818XCSSL  
9  
12" x 8'0"  
14" x 8'0"



TS210XJSL  
TS210XRSL  
TS210XNSL  
TS210XCSSL  
9  
12" x 6'8"  
14" x 6'8"



TS296XJSL  
TS296XRSL  
TS296XNSL  
TS296XCSSL  
12" x 6'8"  
14" x 6'8"

## Internal Blinds

Note: Product images show exterior side of door.



TS130  
★  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"

829  
★  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS132  
★  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS131  
★  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



130SL  
★  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡

829SL  
★  
12" x 8'0"  
14" x 8'0"



TS132SL  
★  
12" x 6'8"  
14" x 6'8"

## Screen Vented Lites\*



TS243  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS137  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"

\*Features a gliding operation and sash locking system.

\*\*2'0" frames do not have simulated divided lites option.

\*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 116.



TS1201

2'4" x 6'8" △  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



TS1202

2'4" x 6'8" △  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



TS1203

2'4" x 6'8" △  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



TS128

2'0" x 6'8" △  
2'4" x 6'8" △  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



TS1200

2'4" x 6'8" △  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



TS108

2'4" x 6'8" △  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



828

2'0" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



808

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS262

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS151

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS263

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS154

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS115

2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" △  
3'0" x 6'8"



TS255

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



TS236

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



8317

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



TS237

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"  
(Scalloped Lite Frame)



1201SL

10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



1202SL

10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



1200SL

10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



632SL

10" x 6'8"  
12" x 6'8" ±  
14" x 6'8" ±



828SL

12" x 8'0"  
14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

## Options Key

Simulated Divided Lites (SDL)\*\* \*\*\*

Fixed Grilles (FXG)

Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

Removable Wood Grilles (RG)

Low-E Glass (LE)

WBDR / HVHZ Options

△ 6'6" Height Available

± 7'0" Height Available

## Features Key

PVC Doorlite Frame\*\*\*

## Privacy Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

XC = Chord Glass

# Clear Glass with Divided Lites *Continued*



**TS263SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**TS151SL**  
  
 12" x 6'8"  
 14" x 6'8"

**TS3000-2C**  
  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**83000-2C**  
  
 2'0" x 8'0"   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

**TS3000-3C**  
  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"


**TS83000-3C**  
  
 2'0" x 8'0"   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

**TS3000-4C**  
  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**TS83000-4C**  
  
 2'0" x 8'0"   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"

**TS3000-6C**  
  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**TS83000-6C**  
  
 2'0" x 8'0"   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"



**TS752**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8752**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**6184SL**  
  
 10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**86184SL**  
  
 12" x 8'0"  
 14" x 8'0"

**6185SL**  
  
 10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**86185SL**  
  
 12" x 8'0"  
 14" x 8'0"

**6186SL**  
  
 10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"

**86186SL**  
  
 12" x 8'0"  
 14" x 8'0"

**TS198**  
  
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"

**TS1408**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8145**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS1411**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS704**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8704**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**198SL**  
  
 10" x 6'8"  
 12" x 6'8"   
 14" x 6'8"


**TS1405SL**  
  
 12" x 6'8"  
 14" x 6'8"

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

# Clear Glass



**TS118**  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**818**  
 2'0" x 8'0"   
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS206**  
 2'6" x 6'8"   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8206**  
 2'8" x 8'0"   
 2'10" x 8'0"  
 3'0" x 8'0"

**TS104**  
 2'6" x 6'8"   
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**TS150**  
 2'8" x 6'8"   
 2'10" x 6'8"  
 3'0" x 6'8"

**TS289**  
 2'6" x 6'8"   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS153**  
 2'8" x 6'8"   
 2'10" x 6'8"  
 3'0" x 6'8"

**TS105**  
 2'6" x 6'8"   
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"



**TS102**  
 2'6" x 6'8"   
 2'8" x 6'8"  
 2'10" x 6'8"   
 3'0" x 6'8"

**TS708**  
 2'8" x 6'8"   
 2'10" x 6'8"  
 3'0" x 6'8"

**8708**  
 2'8" x 8'0"   
 2'10" x 8'0"  
 3'0" x 8'0"

**TS256**  
 2'8" x 6'8"   
 2'10" x 6'8"  
 3'0" x 6'8"

**TS296**  
 2'6" x 6'8"   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**896**  
 2'6" x 8'0"   
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS291**  
 2'8" x 6'8"   
 2'10" x 6'8"  
 3'0" x 6'8"

**100SL**  
 10" x 6'8"   
 12" x 6'8"   
 14" x 6'8"

**818SL**  
 12" x 8'0"   
 14" x 8'0"



**TS210SL**  
 10" x 6'8"   
 12" x 6'8"  
 14" x 6'8"

**TS150SL**  
 12" x 6'8"   
 14" x 6'8"

**TS296SL**  
 12" x 6'8"   
 14" x 6'8"



**19200T**  
 3'0" Door Only



**19210T**  
 12" & 14" Sidelite Only



**19220T**  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Options Key

- Simulated Divided Lites (SDL)\*, \*\*
- Fixed Grilles (FXG)
- Flat White Grilles Between Glass Only (GBGFW)

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Low-E Glass (LE)

- Turtle Glass
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

## Features Key

- PVC Doorlite Frame\*\*



# Solid Panel



**TS290**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS214**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS210**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**810**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS100**  
 6  
 2'0" x 6'8"  
 2'4" x 6'8" Δ  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" Δ  
 3'0" x 6'8"



**800**  
 6  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



## Options Key

6 WBDP / HVHZ Options

Δ 6'6" Height Available

Note: See page 261 for important product details that may help with your purchase decision.

Bottom: Profiles Door - 205HD

# Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star® & Steel

The phrase  
“safety first” is more  
than just a saying. It’s  
our standard.

From smooth to wood-grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\*

217

• Safety first.

## Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

### **Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:**

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.


\*To confirm Fire door requirements in your jurisdiction, always check with your local building code authority.

## 90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater.

Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit® 2 frame.\*



SE100  
 2'0" x 6'8"  
 2'4" x 6'8" ‡  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



SE210HD  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE514  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE978HD  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE969HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



SE1005HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## 20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. All of our solid-panel fiberglass wood-edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid-panel steel wood-edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

**6** WBDR / HVHZ Options: Look for this icon to find steel door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.\*

### Classic-Craft. Mahogany Collection™



CCMF890  
 3'0" x 8'0"



CCMF060  
 3'0" x 6'8"



CCMF701  
 3'0" x 6'8"

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.  
 Note: See page 261 for important product details that may help with your purchase decision.

## Rustic Collection™

CCRF205  
3'0" x 6'8"CCRF8205  
3'0" x 8'0"CCRF205A  
3'0" x 6'8"CCRF8205A  
3'0" x 8'0"CCRF8225  
3'0" x 8'0"CCRF8225R  
3'0" x 8'0"CCRF8005  
3'0" x 8'0"CCRF8005A  
3'0" x 8'0"CCRF040  
3'0" x 6'8"CCRF8040  
3'0" x 8'0"CCRF040F  
3'0" x 6'8"CCRF8040F  
3'0" x 8'0"CCRF200  
3'0" x 6'8"CCRF8200  
3'0" x 8'0"CCRF200A  
3'0" x 6'8"CCRF8200A  
3'0" x 8'0"CCRF8220  
3'0" x 8'0"CCRF8220R  
3'0" x 8'0"

## Oak Collection™

CCF91  
3'0" x 6'8"CCF831  
3'0" x 8'0"

## Canvas Collection®

CCF810  
3'0" x 8'0"CCF060  
2'8" x 6'8"  
3'0" x 6'8"CCVF400  
3'0" x 6'8"CCVF205  
3'0" x 6'8"CCVF8205  
3'0" x 8'0"CCVF205A  
3'0" x 6'8"CCVF8205A  
3'0" x 8'0"CCVF455  
3'0" x 6'8"CCVF455A  
3'0" x 6'8"Classic-Craft *Continues on next page.*

## Options Key

‡ 7'0" Height Available

## Features Key

■ No Stile Lines

6 WBDR / HVHZ Options



Classic-Craft® *Continued*CCVF220  
3'0" x 6'8"CCVF8220  
3'0" x 8'0"CCVF200  
3'0" x 6'8"CCVF060  
3'0" x 6'8"CCVF8060  
3'0" x 8'0"CCVF831  
3'0" x 8'0"CCVF050  
3'0" x 6'8"

## Fiber-Classic®

## Mahogany Collection™

FMF31  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF220  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF205  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF755  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF600  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF134  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF60  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FMF860  
2'8" x 8'0"  
3'0" x 8'0"FMF100  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡FMF8100  
2'6" x 8'0" ‡  
2'8" x 8'0" ‡  
2'10" x 8'0" ‡  
3'0" x 8'0" ‡

## Oak Collection™

FCF31  
2'8" x 6'8"  
3'0" x 6'8"FCF809  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FCF862  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"FCF808  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"FCF755  
2'8" x 6'8"  
3'0" x 6'8"FCF134  
2'8" x 6'8"  
3'0" x 6'8"FCF160\*  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡FCF8160  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"FCF100  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡FCF8100  
2'6" x 8'0" ‡  
2'8" x 8'0" ‡  
2'10" x 8'0" ‡  
3'0" x 8'0" ‡

\*Available with elevated 10" bottom rail.

Note: See page 261 for important product details that may help with your purchase decision.



**SSF93**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF220\***  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**SSF8220**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**SSF200**  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8200**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**SSF205**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8205**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**SSF31**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF831**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**SSF960**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF755**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SSF600**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF8600**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**SSF11**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**SSF160\***  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**SSF8160**  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**SSF100**  
2'0" x 6'8"  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**SSF8100**  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## Profiles™



**969HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**978HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**1005HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**205HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**203HD**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**210HD**  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**100**  
2'0" x 6'8"  
2'4" x 6'8"  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8"



**TS290**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**TS214**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**TS210**  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**TS100**  
2'0" x 6'8"  
2'4" x 6'8" ‡  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ‡  
3'0" x 6'8"

## Traditions

### Options Key

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines
- 6 WBDR / HVHZ Options